



Gizmo Zoom PT / CC 700mA 2700K

180lm, Vf=3V, CRI 90


Applies to following luminaires:

GIZZ27-PT-1, GIZZ27-PT-2, GIZZ27-PT-3, GIZZ27-CCL-1, GIZZ27-CCL-2, GIZZ27-CCL-3, GIZZ27-CCS-1, GIZZ27-CCS-2, GIZZ27-CCS-3



Color fidelity TM-30-15 Rf	89,1
Color Gamut TM-30-15 Rg	104,2
Color quality scale CQS	88,8
Color diviation from black body Δuv	-0,0008
Red component CRI R9	70,4


Light spectrum





Cone Diagram

Cone diagram gives the lux output from different distances, with a specific beam angle.

Narrowest Beam Angle



Widest Beam Angle



Cut off Angle **12,5°**
Field angle 10% **9,5°**
Beam angle 50% **5,3°**

Cut off Angle **45,6°**
Field angle 10% **40,1°**
Beam angle 50% **33,5°**

Distance	Ø	lux	Ø	lux
1	0,1	3051	0,6	225
2	0,2	763	1,2	56
3	0,3	339	1,8	25
4	0,4	191	2,4	14
5	0,5	122	3	9

Lumen output: **44,6 lm**
Light efficiency: **21 lm/W**
Peak candela: **3058 cd**

Lumen output: **80,7 lm**
Light efficiency: **38 lm/W**
Peak candela: **230 cd**

From the diagram above, at **12,5°** you will note that at 2m distance from the luminare you have a lux level of **763** and the coverage area is **0,2 m**/diameter.



TM30 details

Rf 89,1


Fidelity index Rf

Rg 104,2

Gamut index Rg



Color Fidelity Sample




Color Distortion Graphic



Black areas within the white circle indicates desaturation.



Color Vector Graphic




The arrows show how colors are distorted from their natural colors which lie on the white circle.

Color details


CIE 1931



TM30: 89,1



CRI: 92,6



CRI R values, only R1-R8 are used to calculate final CRI value

R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15
94,6	94,2	91,9	93,3	93,3	92,7	93,3	87,7	70,4	85,1	94,2	82,7	94,3	94,4	91,5

TM30 C values, 16 binned values out of total of 99 C values

C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16
91,4	92,5	85,8	86,5	87,8	86,9	83,1	89,1	90,4	91,3	88,9	88,3	91,7	90,5	88,2	89,7

CQS Q values

Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15
85,3	96,8	86,9	89,0	87,6	83,2	84,4	91,1	95,7	90,4	91,6	92,6	93,7	89,2	87,4

CQS: 88,8

